



XREFS: EXPN, PRPN, 11X17s, IMAGES: MAP.bmp, GOOD MAP.bmp




CUCF CENTRAL PLANT ASPHALT REPAIR PROJECT GUNNISON, UTAH

DFCM PROJECT NO. 06090110



SHEET INDEX
CD101 TITLE SHEET
CD102 PLAN SHEET
CD103 PLAN SHEET
CD104 PLAN & DETAIL SHEET



State of Utah—Department of Administrative Services
DIVISION OF FACILITIES CONSTRUCTION
AND MANAGEMENT
4110 State Office Building/Salt Lake City, Utah 84114/538-3018

CENTRAL UTAH CORRECTIONAL FACILITY
COVER SHEET

NOTE
BEYOND ENGINEERING

6671 SOUTH REDWOOD ROAD, SUITE 101, WEST JORDAN, UT, 84064
801.743.8800 TEL. 801.743.0900 FAX WWW.BEYONDE.COM

DATE: JAN. 2007 TIME: 10:10:58 AM
NETWORK: SLS1
PATH: \\SLB0338\CADD\JP\11X17.SET
DWG NAME: IP011.DWG
PLOT VIEW: NONE
DESIGNER: DSE MGR: EPD

SHEET NUMBER
1
OF 4 SHEETS
JOB NUMBER
SLB0338



PREPARED FOR: CUCF

DATE SUBMITTED: JAN., 2007

XREFS: EXPN, keymap, PRPN, 11X17s, IMAGES: GOOD MAP.bmp

CONSTRUCTION NOTES

- EXISTING RETAINING WALL TO REMAIN.
- NEW ASPHALT TO MATCH EXISTING GRADE. (TYP.)
- MAINTAIN POSITIVE GRADE AWAY FROM BUILDING. (TYP.)
- SAW CUT (1" MIN.), TRIM, TACK, AND JOIN NEW PAVEMENT TO EXISTING. (TYP.)
- MATCH NEW ASPHALT TO EXISTING CONCRETE PAD. (TYP.)
- 4" SOLID STRIPE YELLOW PAINT. (TYP.)
- CONTRACTOR TO OVER EXCAVATE ADDITIONAL 2' OF REMOVE AND REPLACE AREA UP TO 5% (1,710 S.F.) AS NECESSARY.





KEYMAP
N.T.S.

GENERAL NOTES

- THIS FACILITY IS IN OPERATION 24 HOURS A DAY, 7 DAYS A WEEK. CONTRACTOR TO MAINTAIN ACCESS TO ALL ROADS AND PARKING LOTS THROUGHOUT CONSTRUCTION.
- ALL WORK SHALL BE SCHEDULED THROUGH TERRY JACOBS (435) 528-3050 OR PAUL TAYLOR (435) 528-6471.
- CONTRACTOR TO VERIFY LOCATION AND DEPTH OF ALL UTILITIES PRIOR TO ANY CONSTRUCTION OR EXCAVATION.
- ALL WORK TO BE DONE ACCORDING TO LOCAL, COUNTY, STATE, AND FEDERAL GUIDELINES AS APPLICABLE, SPECIFICATION DETAILS.
- NOTIFY OWNER 48 HOURS IN ADVANCE OF ANY WATER SHUT OFFS AND ANTICIPATED DURATION.
- NO CHANGE IN DESIGN, LOCATION OR GRADE WILL BE MADE BY THE CONTRACTOR WITHOUT WRITTEN APPROVAL.
- CONTRACTOR TO CALL BLUE STAKES AT 532-5000 48 HOURS PRIOR TO ANY DEMOLITION WORK.
- ALL CONSTRUCTION SIGNAGE, BARRICADE, TRAFFIC CONTROL DEVICES, ETC., SHALL CONFORM TO THE LATEST EDITION OF THE M.U.C.T.D. CONTRACTOR WILL MAINTAIN SUCH SO THEY ARE PROPERLY PLACED AND VISIBLE AT ALL TIMES.
- ALL ROAD AND PARKING STRIPING SHALL BE ACCOMPLISHED IN ACCORDANCE WITH DFCM, LOCAL, COUNTY, AND FEDERAL GUIDELINES AND THE LATEST EDITION ON THE M.U.T.C.D. AS APPLICABLE.
- COORDINATE WITH OWNER FOR NECESSARY DEVEGETATION ALONG SHOULDERS OF ROADWAY.

LEGEND

	EXISTING BUILDING LINE
	EXISTING CURB AND GUTTER
	EXISTING EDGE OF PAVEMENT
	EXISTING SIDEWALK
	EXISTING FENCE
	PAVEMENT IMPROVEMENT AREA
	EXISTING ASPHALT NOT TO BE IMPROVED
	DRAINAGE FLOW ARROW



CENTRAL UTAH CORRECTIONAL FACILITY
SITE PLAN

NOTE
BEYOND ENGINEERING


6671 SOUTH REDWOOD ROAD, SUITE 101 WEST JORDAN, UT 84064
801.743.9800 TEL 801.743.0900 FAX WWW.BE.COM

DATE: JAN. 2007 TIME: 10:17:01 AM
NETWORK: SLS1
PATH: \\SLB0338\CADD\JP\11X17.SET
DWG NAME: JP02SP.DWG
PLOT VIEW: NONE
DESIGNER: DSE MGR: EPD

SHEET NUMBER
2
OF 4 SHEETS
JOB NUMBER
SLB0338






PREPARED FOR: CUCF
DATE SUBMITTED: JAN., 2007

XREFS: EXPN, keymap, PRPN, 11X17s, IMAGES: GOOD MAP.bmp



CONSTRUCTION NOTES

1. NEW ASPHALT TO MATCH EXISTING GRADE. (TYP.)
2. MAINTAIN POSITIVE GRADE AWAY FROM EXISTING CONCRETE PAD. (TYP.)
3. SAW CUT (1' MIN.), TRIM, TACK, AND JOIN NEW PAVEMENT TO EXISTING. (TYP.)
4. CONTRACTOR TO PROVIDE THICKENED ASPHALT EDGE.
5. GRADE TO DRAIN (0.50% MIN.)
6. REMOVE AND REPLACE 870 S.F. OF EXISTING ASPHALT PER DETAIL B, SHEET CD104.
7. REMOVE AND REPLACE 5,150 S.F. OF EXISTING ASPHALT PER DETAIL A, SHEET CD104.



KEYMAP N.T.S.

GENERAL NOTES

1. THIS FACILITY IS IN OPERATION 24 HOURS A DAY, 7 DAYS A WEEK. CONTRACTOR TO MAINTAIN ACCESS TO ALL ROADS AND PARKING LOTS THROUGHOUT CONSTRUCTION.
2. ALL WORK SHALL BE SCHEDULED THROUGH TERRY JACOBS (435) 528-3050 OR PAUL TAYLOR (435) 528-6471.
3. CONTRACTOR TO VERIFY LOCATION AND DEPTH OF ALL UTILITIES PRIOR TO ANY CONSTRUCTION OR EXCAVATION.
4. ALL WORK TO BE DONE ACCORDING TO LOCAL, COUNTY, STATE, AND FEDERAL GUIDELINES AS APPLICABLE, SPECIFICATION DETAILS.
5. NOTIFY OWNER 48 HOURS IN ADVANCE OF ANY WATER SHUT OFFS AND ANTICIPATED DURATION.
6. NO CHANGE IN DESIGN, LOCATION OR GRADE WILL BE MADE BY THE CONTRACTOR WITHOUT WRITTEN APPROVAL.
7. CONTRACTOR TO CALL BLUE STAKES AT 532-5000 48 HOURS PRIOR TO ANY DEMOLITION WORK.
8. ALL CONSTRUCTION SIGNAGE, BARRICADE, TRAFFIC CONTROL DEVICES, ETC., SHALL CONFORM TO THE LATEST EDITION OF THE M.U.C.T.D. CONTRACTOR WILL MAINTAIN SUCH SO THEY ARE PROPERLY PLACED AND VISIBLE AT ALL TIMES.
9. ALL ROAD AND PARKING STRIPING SHALL BE ACCOMPLISHED IN ACCORDANCE WITH DFCM, LOCAL, COUNTY, AND FEDERAL GUIDELINES AND THE LATEST EDITION ON THE M.U.T.C.D. AS APPLICABLE.
10. COORDINATE WITH OWNER FOR NECESSARY DEVEGETATION ALONG SHOULDERS OF ROADWAY.

LEGEND

	EXISTING BUILDING LINE
	EXISTING CURB AND GUTTER
	EXISTING EDGE OF PAVEMENT
	EXISTING SIDEWALK
	EXISTING FENCE
	PAVEMENT IMPROVEMENT AREA
	EXISTING ASPHALT NOT TO BE IMPROVED
	DRAINAGE FLOW ARROW



CENTRAL UTAH CORRECTIONAL FACILITY

SITE PLAN

NOTE

BEYOND ENGINEERING
6671 SOUTH REDWOOD ROAD, SUITE 101 WEST JORDAN, UT 84064
801.743.8600 TEL 801.743.0900 FAX WWW.BE.COM

DATE: JAN. 2007 TIME: 9:59:42 AM
NETWORK: SLS1
PATH: \\SLB0338\CADD\JP\11X17.SET
DWG NAME: IP03SP.DWG
PLOT VIEW: NONE
DESIGNER: DSE MGR: EPD

SHEET NUMBER

3







OF 4 SHEETS

JOB NUMBER
SLB0338

PREPARED FOR: CUCF

DATE SUBMITTED: JAN., 2007

XREFS: PRPN, EXPN, keymap, 11X17s, IMAGES: GOOD MAP.bmp




CONSTRUCTION NOTES

1. NEW ASPHALT TO MATCH EXISTING GRADE. (TYP.)
2. MAINTAIN POSITIVE GRADE AWAY FROM EXISTING CONCRETE PAD. (TYP.)
3. SAW CUT (1" MIN.), TRIM, TACK, AND JOIN NEW PAVEMENT TO EXISTING. (TYP.)
4. GRADE TO DRAIN (0.50% MIN.)
5. 4" SOLID STRIPE YELLOW PAINT. (TYP.)

GENERAL NOTES

1. THIS FACILITY IS IN OPERATION 24 HOURS A DAY, 7 DAYS A WEEK. CONTRACTOR TO MAINTAIN ACCESS TO ALL ROADS AND PARKING LOTS THROUGHOUT CONSTRUCTION.
2. ALL WORK SHALL BE SCHEDULED THROUGH TERRY JACOBS (435) 528-3050 OR PAUL TAYLOR (435) 528-6471.
3. CONTRACTOR TO VERIFY LOCATION AND DEPTH OF ALL UTILITIES PRIOR TO ANY CONSTRUCTION OR EXCAVATION.
4. ALL WORK TO BE DONE ACCORDING TO LOCAL, COUNTY, STATE, AND FEDERAL GUIDELINES AS APPLICABLE, SPECIFICATION DETAILS.
5. NOTIFY OWNER 48 HOURS IN ADVANCE OF ANY WATER SHUT OFFS AND ANTICIPATED DURATION.
6. NO CHANGE IN DESIGN, LOCATION OR GRADE WILL BE MADE BY THE CONTRACTOR WITHOUT WRITTEN APPROVAL.
7. CONTRACTOR TO CALL BLUE STAKES AT 532-5000 48 HOURS PRIOR TO ANY DEMOLITION WORK.
8. ALL CONSTRUCTION SIGNAGE, BARRICADE, TRAFFIC CONTROL DEVICES, ETC., SHALL CONFORM TO THE LATEST EDITION OF THE M.U.C.T.D. CONTRACTOR WILL MAINTAIN SUCH SO THEY ARE PROPERLY PLACED AND VISIBLE AT ALL TIMES.
9. ALL ROAD AND PARKING STRIPING SHALL BE ACCOMPLISHED IN ACCORDANCE WITH DFCM, LOCAL, COUNTY, AND FEDERAL GUIDELINES AND THE LATEST EDITION ON THE M.U.T.C.D. AS APPLICABLE.
10. COORDINATE WITH OWNER FOR NECESSARY DEVEGETATION ALONG SHOULDERS OF ROADWAY.



LEGEND

	EXISTING BUILDING LINE
	EXISTING CURB AND GUTTER
	EXISTING EDGE OF PAVEMENT
	EXISTING SIDEWALK
	EXISTING FENCE
	PAVEMENT IMPROVEMENT AREA
	EXISTING ASPHALT NOT TO BE IMPROVED
	DRAINAGE FLOW ARROW



CENTRAL UTAH CORRECTIONAL FACILITY SITE PLAN

NOTE

B E Y O N D E N G I N E E R I N G

6671 SOUTH REDWOOD ROAD, SUITE 101, WEST JORDAN, UT, 84064
801.743.9800 TEL. 801.743.0900 FAX WWW.BYENGINEERING.COM

DATE: JAN. 2007 TIME: 9:58:52 AM
NETWORK: SLS1
PATH: SLB0338\CADD\JP\11X17.SET
DWG NAME: JP04SP.DWG
PLOT VIEW: NONE
DESIGNER: DSE MGR: EPD

SHEET NUMBER

4

OF 4 SHEETS

JOB NUMBER
SLB0338

PREPARED FOR: CUCF

DATE SUBMITTED: JAN., 2007